

A/A	ИЗПИСИО	ИЗПИСИО
R1	381.747	ИЗПИСИО
R2	392.483	ИЗПИСИО
R3	378.675	ИЗПИСИО
R4	387.951	ИЗПИСИО
R5	385.174	ИЗПИСИО
R6	387.470	ИЗПИСИО
R7	398.934	ИЗПИСИО
R8	412.131	ИЗПИСИО
R9	405.152	ИЗПИСИО
R10	362.078	ИЗПИСИО
R11	371.242	ИЗПИСИО
R12	361.049	ИЗПИСИО
R13	346.327	ИЗПИСИО
R14	362.078	ИЗПИСИО
R15	347.014	ИЗПИСИО

N/A	ONOMAZIA	X	Y	H	TEPICTAPH
1	DIKIA KANALIZOFADY	-12672.50	-12517.22	385.86	Edific. del trasvaseo
2	ETANOTEPHOE KATON.	-12256.67	-12190.09	410.25	Edificio del Museo
3	DIKIA ZUKHAY EMP.	-12073.53	-12339.89	397.52	Edificio del trasvaseo

AMODISI	PRODOTTA	TRONCHI
VALUTAZIONE AMBIENTALE FERTILITÀ AMBIENTALE	01 INVIAMANTI	
RACCOMANDA	ELETTRICHE	
	3 ELETTRICHE	
	RECUPERO	
	ELETTRICHE	
1 500	KOLNOVIA KPTONEPIOT	
AP- 35-	RECUPERO	
	RECUPERO	
3	RECUPERO	

ΤΕΧΝΙΚΟ ΓΡΑΦΕΙΟ ΜΕΛΕΤΩΝ
ΦΙΛΙΠΠΑ ΔΗΜΗΤΡΙΑΔΗ
ΒΑΤΟΜΕΔΙΟΥ 14 ΑΡΕΔΕΥΚΗΤΟΙ - ΑΘΗΝΑ

[illegible]

	Y	X	Z
1	1	1	1
2	1	1	2
3	1	1	3
4	1	1	4
5	1	1	5
6	1	1	6
7	1	1	7
8	1	1	8
9	1	1	9
10	1	1	10
11	1	1	11
12	1	1	12
13	1	1	13
14	1	1	14
15	1	1	15
16	1	1	16
17	1	1	17
18	1	1	18
19	1	1	19
20	1	1	20
21	1	1	21
22	1	1	22
23	1	1	23
24	1	1	24
25	1	1	25
26	1	1	26
27	1	1	27
28	1	1	28
29	1	1	29
30	1	1	30
31	1	1	31
32	1	1	32
33	1	1	33
34	1	1	34
35	1	1	35
36	1	1	36
37	1	1	37
38	1	1	38
39	1	1	39
40	1	1	40
41	1	1	41
42	1	1	42
43	1	1	43
44	1	1	44
45	1	1	45
46	1	1	46
47	1	1	47
48	1	1	48
49	1	1	49
50	1	1	50
51	1	1	51
52	1	1	52
53	1	1	53
54	1	1	54
55	1	1	55
56	1	1	56
57	1	1	57
58	1	1	58
59	1	1	59
60	1	1	60
61	1	1	61
62	1	1	62
63	1	1	63
64	1	1	64
65	1	1	65
66	1	1	66
67	1	1	67
68	1	1	68
69	1	1	69
70	1	1	70
71	1	1	71
72	1	1	72
73	1	1	73
74	1	1	74
75	1	1	75
76	1	1	76
77	1	1	77
78	1	1	78
79	1	1	79
80	1	1	80
81	1	1	81
82	1	1	82
83	1	1	83
84	1	1	84
85	1	1	85
86	1	1	86
87	1	1	87
88	1	1	88
89	1	1	89
90	1	1	90
91	1	1	91
92	1	1	92
93	1	1	93
94	1	1	94
95	1	1	95
96	1	1	96
97	1	1	97
98	1	1	98
99	1	1	99
100	1	1	100

4.4